


# BRABER

IMPLEMENTS & ATTACHMENTS



<b>4</b>	SUB COMPACT	<b>59</b>	DISC BEDDER
<b>6</b>	BOX BLADES	<b>60</b>	DISC HARROWS
<b>9</b>	BOX GRADER SCRAPERS	<b>61</b>	CULTIVATORS
<b>10</b>	LANDSCAPE RAKES	<b>63</b>	SUBSOILERS
<b>11</b>	REAR BLADES	<b>64</b>	HARROWS
<b>14</b>	ROTARY CUTTERS	<b>67</b>	FERTILIZER SPREADERS
<b>17</b>	FINISH MOWERS	<b>68</b>	MANURE SPREADERS
<b>19</b>	FLAIL MOWERS - FIXED	<b>69</b>	STUMP GRINDERS
<b>20</b>	BOOM MOWERS	<b>72</b>	WOOD CHIPPERS
<b>24</b>	ROTARY TEDDERS & RAKES	<b>76</b>	LOG SPLITTERS
<b>28</b>	DRUM MOWERS	<b>82</b>	GAS TILLERS & MOWERS
<b>29</b>	ROTARY TILLERS	<b>86</b>	BRUSH RAKES & POTATO LIFTERS
<b>35</b>	POWER HARROWS	<b>87</b>	AERATORS & FLAT BALLAST ROLLERS
<b>37</b>	SURFACE DISC HARROWS	<b>88</b>	LAWN IMPLEMENTS
<b>38</b>	SNOW BLOWERS	<b>90</b>	DUMP CARTS
<b>40</b>	SNOW BLADES	<b>92</b>	WARRANTY
<b>41</b>	PALLET FORKS		
<b>47</b>	BALE SPEARS		
<b>50</b>	SKID STEER ATTACHMENTS		
<b>54</b>	QUICK HITCHES		
<b>55</b>	TRAILER MOVERS & ACCESSORIES		
<b>56</b>	WEIGHT BOX		
<b>57</b>	POST HOLE DIGGERS		

<b>87</b>	AERATORS & FLAT BALLAST ROLLERS	<b>54</b>	QUICK HITCHES
<b>47</b>	BALE SPEARS & GRABBERS	<b>11</b>	REAR BLADES
<b>20</b>	BOOM MOWERS	<b>14</b>	ROTARY CUTTERS
<b>6</b>	BOX BLADES	<b>24</b>	ROTARY TEDDERS & RAKES
<b>9</b>	BOX GRADER SCRAPERS	<b>29</b>	ROTARY TILLERS
<b>86</b>	BRUSH RAKES & POTATO LIFTERS	<b>50</b>	SKID STEER ATTACHMENTS
<b>61</b>	CULTIVATORS	<b>40</b>	SNOW BLADES
<b>59</b>	DISC BEDDER	<b>38</b>	SNOW BLOWERS
<b>60</b>	DISC HARROWS	<b>69</b>	STUMP GRINDERS
<b>28</b>	DRUM MOWERS	<b>4</b>	SUB COMPACT
<b>90</b>	DUMP CARTS	<b>63</b>	SUBSOILERS
<b>67</b>	FERTILIZER SPREADERS	<b>37</b>	SURFACE DISC HARROWS
<b>17</b>	FINISH MOWERS	<b>55</b>	TRAILER MOVERS & ACCESSORIES
<b>21</b>	FLAIL MOWERS - FIXED	<b>92</b>	WARRANTY
<b>82</b>	GAS TILLERS & MOWERS	<b>56</b>	WEIGHT BOX
<b>64</b>	HARROWS	<b>72</b>	WOOD CHIPPERS
<b>10</b>	LANDSCAPE RAKES		
<b>88</b>	LAWN IMPLEMENTS		
<b>76</b>	LOG SPLITTERSC		
<b>68</b>	MANURE SPREADERS		
<b>41</b>	PALLET & DEBRIS FORKS		
<b>57</b>	POST HOLE DIGGERS		
<b>35</b>	POWER HARROWS		



## SUB COMPACT BOX BLADE

48", 54", 60"

PART #	BE-BBC48N	BE-BBC54N	BE-BBC60N
HITCH	CAT 1	CAT 1	CAT 1
WEIGHT	277 LBS	288 LBS	300 LBS
WORKING WIDTH	48"	54"	60"
NUMBER OF SHANKS	4	4	5
PTO HP RATING	UP TO 25 HP	UP TO 25 HP	UP TO 25 HP



## SUB COMPACT BOX GRADER SCRAPER

48", 54", 60"

PART #	BE-GSC48N	BE-GSC54N	BE-GSC60N
HITCH	CAT 1	CAT 1	CAT 1
WEIGHT	350 LBS	375 LBS	400 LBS
WORKING WIDTH	48"	54"	60"
NUMBER OF SHANKS	4	4	4
PTO HP RATING	17 - 33 HP	17 - 33 HP	17 - 33 HP



## 48" SUB COMPACT LANDSCAPE RAKE

BE-LRC48N



PART #	BE-LRC48N
HITCH	CAT 1
WEIGHT	98 LBS
WORKING WIDTH	48"
RAKE HEIGHT	12"
NUMBER OF TEETH	26
PTO HP RATING	15 - 25 HP

## 48" SUB COMPACT REAR BLADE

BE-RBC48N



PART #	BE-RBC48N
HITCH	CAT 1
WEIGHT	128 LBS
WORKING WIDTH	48"
BLADE OFFSET	10" LEFT OR RIGHT
PTO HP RATING	17 - 25 HP



## 36" LIGHT DUTY/SUB COMPACT PALLET FORKS

PART #	BE-PFLD36EBO
CAPACITY	900 LBS
WEIGHT	170 LBS
FORK LENGTH	36"
CARRIAGE MOUNT	SKID STEER



### REPLACEMENT PARTS

FORK	PFT36ELD
------	----------

## SUB COMPACT ROTARY TILLER 33"

PART #	BE-FTL85
CATEGORY	1
WEIGHT	364 LBS
TILLING WIDTH	32"
PTO HP RATING	12 - 20 HP
TILLAGE DEPTH	3.54"
BLADES	16

CAT 1, 3 POINT HITCH



## COMPACT TRACTOR POST HOLE DIGGER 40"

SEE PAGE 106  
FOR AUGERS



PART #	BE-PHDLG
WEIGHT	135 LBS
DRILLING DEPTH	40"




SHORTER BOOM  
FOR EASIER LIFTING  
WITH SUB 30 HP  
TRACTOR


SWIVEL  
TOP LINK

CAT 1, 3 POINT HITCH

HEAVY DUTY  
OIL-FILLED 40 HP  
GEARBOX



## STANDARD DUTY BOX BLADE 48", 60", 72"



PART #	BE-BBR4N	BE-BBR5N	BE-BBR6N
WEIGHT	368 LBS	446 LBS	496 LBS
WIDTH	48"	60"	72"
PTO HP RATING	UP TO 50 HP	UP TO 50 HP	UP TO 50 HP
NO. OF SHANKS	4	5	6
MOLDBOARD HEIGHT	17"	17"	17"
SIDE PANEL THICKNESS	3/8"	3/8"	3/8"


### REPLACEMENT WEAR PARTS

CUTTING EDGE	CE4S	CE5S	CE6S
SHANK	BB2G	BB2G	BB2G
SHANK TIP	BBSTHDG	BBSTHDG	BBSTHDG

# HEAVY DUTY

## BOX BLADE

60", 66", 72"




PART #	BE-BBR5ND	BE-BBR55ND	BE-BBR6ND
WEIGHT	496 LBS	516 LBS	558 LBS
WIDTH	60"	66"	72"
PTO HP RATING	UP TO 50 HP	UP TO 50 HP	UP TO 50 HP
NO. OF SHANKS	5	5	6
MOLDBOARD HEIGHT	17"	17"	17"
SIDE PANEL THICKNESS	3/8"	3/8"	3/8"

### REPLACEMENT WEAR PARTS

SHANK	BB2G	BB2G	BB2G
SHANK TIP	BBSTHDG	BBSTHDG	BBSTHDG



EXTRA HEAVY DUTY  
BOX BLADE  
84," 96"




PART #	BE-BBR7ND	BE-BBR8ND
WEIGHT	657 LBS	690 LBS
WIDTH	84"	96"
PTO HP RATING	UP TO 50 HP	UP TO 50 HP
NO. OF SHANKS	7	8
MOLDBOARD HEIGHT	17"	17"
SIDE PANEL THICKNESS	1/2"	1/2"

REPLACEMENT WEAR PARTS

SHANK	BB2G	BB2G
SHANK TIP	BBSTHDG	BBSTHDG

## STANDARD DUTY BOX GRADER SCRAPER

60", 72", 84", 96"




PART #	BE-GS05N	BE-GS06N	BE-GS07N	BE-GS08N
WEIGHT	515 LBS	605 LBS	690 LBS	780 LBS
WIDTH	60"	72"	84"	96"
PTO HP RATING	20 - 45 HP	25 - 50 HP	25 - 60 HP	35 - 60 HP
MOUNT	3 POINT	3 POINT	3 POINT	3 POINT
NO. SHANKS	4	5	6	7

### REPLACEMENT WEAR PARTS

CUTTING EDGE	GS4.5G	GS4.6G	GS4.7G	GS4.8G
SHANK	BB2G	BB2G	BB2G	BB2G
SHANK TIP	BBSTHDG	BBSTHDG	BBSTHDG	BBSTHDG

3 POINT  
LANDSCAPE RAKE  
60", 72", 84"




PART #	BE-LR5N	BE-LR6N	BE-LR7N
WEIGHT	196 LBS	203 LBS	244 LBS
WORKING WIDTH	60"	71"	84"
PTO HP RATING	25-40	25-40	30-45
TINE SIZE	1" X 0.3"	1 X 0.3"	1 X 0.3"
TINE SPACING	1"	1"	1"
TINE PER FEET	6	6	6
TINE MATERIAL	SPRING STEEL	SPRING STEEL	SPRING STEEL



# STANDARD DUTY

## REAR BLADE

60", 72"




PART #	BE-RBR5N	BE-RBR6N
WEIGHT	205 LBS	230 LBS
WIDTH	60"	72"
PTO HP RATING	20 - 30 HP	20 - 30 HP
MOLDBOARD CUTTING EDGE	6"	6"
MOLDBOARD HEIGHT	14-1/2"	14-1/2"
MOLDBOARD THICKNESS	3/16"	3/16"

### REPLACEMENT WEAR PARTS

CUTTING EDGE	CE5L	CE6L
--------------	------	------

HEAVY DUTY  
REAR BLADE  
84", 96"



PART #	BE-RB207HDN	BE-RB208HDN
WEIGHT	350 LBS	370 LBS
WIDTH	84"	96"
HITCH	CAT 1	CAT 1
PTO HP RATING	40 - 60 HP	40 - 60 HP
MOLDBOARD CUTTING EDGE	6"	6"
MOLDBOARD HEIGHT	14-1/2"	14-1/2"
MOLDBOARD THICKNESS	1/4"	1/4"


REPLACEMENT WEAR PARTS

CUTTING EDGE	CE7H	CE8H
--------------	------	------



DOUBLE GUSSET LIFT  
ARM CONNECTION FOR  
ADDED STRENGTH

## EXTRA HEAVY DUTY REAR BLADE WITH HYDRAULIC ANGLE 86", 108"



PART #	BE-RB408HDG	BE-RB409HDG
WEIGHT	970 LBS	1060 LBS
WIDTH	86"	108"
PTO HP RATING	UP TO 80 HP	UP TO 80 HP
MOLDBOARD HEIGHT	18"	18"
MOLDBOARD THICKNESS	5/16"	5/16"
CUTTING EDGE	6"	6"
HYDRAULIC PORTS	2	2

### REPLACEMENT WEAR PARTS

CUTTING EDGE	CE8HYD	CE9HYD
--------------	--------	--------

### OPTIONS


PART #	BE-RB408TILTCYL	BE-RB400FFSETKIT
DESCRIPTION	TILT CYLINDER	OFFSET CYLINDER



STANDARD DUTY  
ROTARY CUTTER

48", 60", 72"

INCLUDES STUMP  
JUMPER PROTECTION



PART #	BE-RC400N	BE-RC500N	BE-RC600N
WEIGHT	482 LBS	605 LBS	725 LBS
CUTTING WIDTH	48"	60"	72"
CUTTING HEIGHT	1" - 8"	1" - 8"	1" - 8"
PTO	SHEAR PIN	SHEAR PIN	SHEAR PIN
BLADES	2	2	2
PTO HP RATING	UP TO 50 HP	UP TO 50 HP	UP TO 50 HP
TOP DECK THICKNESS	3.5 MM	3.5 MM	4 MM
SIDE DECK THICKNESS	3.75 MM	3.75 MM	3.75 MM


REPLACEMENT WEAR PARTS

BLADE	55.000.400N	55.000.500N	55.000.600N
BOLT KIT	55.000.055G	55.000.055G	55.000.055G
PTO	69.888.049	69.888.049	69.885.051
SHEAR PIN KIT (5 PCS)	67.000.005	67.000.005	67.000.005

## ROUND BACK ROTARY CUTTER

**48", 60", 72"**

INCLUDES STUMP  
JUMPER PROTECTION



**NOW INCLUDES SLIP  
CLUTCH PTO DRIVELINE!**



PART #	BE-RCR400N	BE-RCR500N	BE-RCR600N
WEIGHT	582 LBS	640 LBS	744 LBS
CUTTING WIDTH	48"	60"	72"
PTO HP RATING		20 - 50 HP	
PTO		SLIP CLUTCH	
BLADES		2	
TOP DECK THICKNESS		4 MM	
SIDE DECK THICKNESS		4 MM	

### REPLACEMENT WEAR PARTS

BLADE	55.000.400N	55.000.500N	55.000.600N
BOLT KIT	55.000.055G	55.000.055G	55.000.055G
PTO	69.885.246	69.885.246	69.885.246


# HEAVY DUTY ROUND BACK

## ROTARY CUTTER

70 HP GEARBOX WITH SLIP CLUTCH PTO

60", 72", 84"

INCLUDES STUMP  
JUMPER PROTECTION




PART #	BE-RC5HDG	BE-RC6HDG	BE-RC7HDG
WEIGHT	700 LBS	840 LBS	1365 LBS
HITCH	CAT 1 QUICK HITCH COMPATIBLE	CAT 1 QUICK HITCH COMPATIBLE	CAT 2
CUTTING WIDTH	60"	72"	84"
PTO	SLIP CLUTCH	SLIP CLUTCH	SLIP CLUTCH
BLADES	2	2	2
PTO HP RATING	UP TO 70 HP	UP TO 70 HP	UP TO 70 HP
TOP DECK THICKNESS	3.5 MM	4 MM	5 MM
SIDE DECK THICKNESS	3.5 MM	4 MM	4 MM

### REPLACEMENT WEAR PARTS

BLADE	55.000.502G	55.000.602G	55.000.702G
BOLT KIT	55.000.055G	55.000.055G	55.000.055G
PTO	69.777.039	69.888.602	69.888.602
CLUTCH DISC	247000061	247000061	247000061



## HEAVY DUTY REAR DISCHARGE FINISH MOWER 48", 60", 72"




\*LAWN GRASS USE ONLY

PART #	BE-FM48RDGS	BE-FM60RDGS	BE-FM72RDGS
WEIGHT	355 LBS	410 LBS	520 LBS
WIDTH	48"	60"	72"
PTO HP RATING	15 HP	20 HP	30 HP
PTO	540	540	540
BLADES	3	3	3
WHEEL SIZE	9-3/4" X 3"	9-3/4" X 3"	9-3/4" X 3"
MIN CUTTING HEIGHT	1-3/4"	1-3/4"	1-3/4"
MAX CUTTING HEIGHT	5"	5"	5"

### REPLACEMENT WEAR PARTS

BLADE	340441	340541	340641
V BELT	47.171.372	47.171.575	47.171.880
PTO	69.885.004	69.885.004	69.885.004

**HEAVY DUTY DELUXE**  
FINISH MOWER  
**84"**



\*LAWN GRASS USE ONLY

PART #	BE-FM84RDHDG
WEIGHT	728 LBS
WIDTH	84"
PTO HP RATING	75 HP
CATEGORY	1, 2
BLADES	3
WHEEL SIZE	9-3/4" X 3"
MIN CUTTING HEIGHT	1-3/4"
MAX CUTTING HEIGHT	4-3/4"


**REPLACEMENT WEAR PARTS**

BLADE	FM4.96HDG
V BELT	FM71.B914 FM72.B2591

## FIXED

## FLAIL MOWER

48", 60", 64", 68", 78"



**CUTS UP TO**  
**3/4"**  
**THICK**  
**MATERIAL\***

**3**  
**BELT**

**540**  
**RPM PTO**  
**INCLUDED**

**STANDARD**  
**PTO YOKE**

**OPTIONAL**  
**HAMMER**  
EFGC120.104A  
1.5 LBS



FLAIL

\* CUTTING THICKNESS VARIES BY  
TRACTOR HP AND MATERIAL DENSITY

FLAIL PART #	BE-EFGC125F	BE-EFGC155F	BE-EFGC165F	BE-EFGC175F	BE-EFGC200F
HAMMER PART #	BE-EFGC125H	BE-EFGC155H	BE-EFGC165H	BE-EFGC175H	BE-EFGC200H
WEIGHT	611 LBS	754 LBS	809 LBS	864 LBS	948 LBS
WORKING WIDTH	48"	60"	64"	68"	78"
OVERALL WIDTH	54"	66.5"	70.5"	74.5"	84.5"
OFFSET	17"   31"	24"   36"	28"   36"	28"   40"	33"   45"
PTO HP RATING	18 - 25 HP	30 - 40 HP	35 - 45 HP	40 - 50 HP	55 - 70 HP
FLAILS REQUIRED	40	48	56	56	64
HAMMERS REQUIRED	20	24	28	28	32

\* USES FLAIL BE-EFR105.102 SPACES 700920091.

\*\* USES HAMMER 701140011.
















### REPLACEMENT WEAR PARTS FOR ALL UNITS

PART#	BOLT	NYLOC NUT	V BELT	PTO	FLAIL	FLAIL SPACER	HAMMER
PART #	GB5782-86	GB6184-86	47.170.991	69.885.004	EFGC120.104	701240008	EFGC120.104A



**2**  
**TRACTOR**  
**HYDRAULIC**  
**PORTS**  
**REQUIRED**

### SHIFT KITS

PART #	EFGCMM120-HDJZH-PJ				EFGCHM120-HDJZH-PJ				EFGCHM200-HDJZH-PJ
POWER	MECHANICAL				HYDRAULIC				HYDRAULIC
WEIGHT	77 LBS				77 LBS				77 LBS
ATTACHES TO	BE-EFGC125-175								BE-EFGC200
SIDE SHIFT DISTANCES 	V	BE-EFGC105F	BE-EFGC125F	BE-EFGC145F	BE-EFGC155F	BE-EFGC165F	BE-EFGC175F		
	N/A	N/A	31.5"   17.75"	31.5"   25.5"	31.5"   29.5"	31.5"   33.5"	31.5"   37.5"	39.5"   39.5"	
			   	   	   	   	   	   	
			17.75"   31.5"	17.75"   39.5"	17.75"   43.5"	17.75"   47"	17.75"   51"	   	

3 POINT OFFSET  
BOOM MOWER  
50", 56", 63"

GRASS KNIVES  
AVAILABLE



EFR105.102

CAT 1, 3 POINT HITCH

HYDRAULIC OFFSET

HYDRAULIC TILT

CAST IRON GEAR BOX

WITH HAMMERS



701140011

**540**  
RPM PTO

**STANDARD**  
PTO YOKE




**4**  
TRACTOR  
HYDRAULIC  
PORTS  
REQUIRED

**+ 90°**  
**- 53°**  
MOW ANGLE

**CUTS UP TO**  
**1"**  
**THICK MATERIAL\***

FOR GRASS, VEGETABLE  
RESIDUE, BUSHES, & PRUNING

\* CUTTING THICKNESS VARIES BY  
TRACTOR HP AND MATERIAL DENSITY




PART #	WEIGHT (LBS)	WIDTH	HP RATING	# OF HAMMERS	A	B	C	D	E	F	G
BE-AGL125F	695	50"	20 - 40 HP	20	65-1/2"	59-1/2"	48-3/4"	29-1/2"	49-1/2"	+90°	-53°
BE-AGL145F	735	56"	30 - 50 HP	24	73-1/4"	59-1/2"	56-3/4"	29-1/2"	49-1/2"	+90°	-53°
BE-AGL165F	770	63"	30 - 50 HP	28	81"	59-1/2"	64-1/2"	29-1/2"	49-1/2"	+90°	-53°





OPTIONAL FLAIL KNIVES FOR ALL UNITS

PART	HAMMER PART#	KNIFE PART#	SPACER PART#
PART #	701140011	EFR105.102	700920091

## 3 POINT OFFSET BOOM MOWER 78"



### WITH HAMMERS





PART #	WEIGHT (LBS)	WIDTH	HP RATING	HAMMERS	A	B	C	D	E	F	G
BE-AGF200	1764	78"	80 - 120 HP	20	99-1/2"	72-1/2"	62-1/2"	18-1/2"	65-1/2"	+90°	-65°



# MASCHIO 3 POINT HITCH

BOOM FLAIL  
WITH FIXED HITCH  
45", 57", 61"



\* CUTTING THICKNESS VARIES BY TRACTOR HP AND MATERIAL DENSITY


## GIRAFFA 3 POINT BOOM MOWERS

PART #	MAS-GIRAFFAS120	MAS-GIRAFFAS140	MAS-GIRAFFAS160
WEIGHT	593 LBS	633 LBS	664 LBS
WORKING WIDTH	45"	57"	61"
TOTAL WIDTH	52"	61"	69"
PTO HP RATING	15 - 35 HP	20 - 35 HP	25 - 35 HP
OPTIONAL GRASS KNIVES	48	56	64
STANDARD HAMMER	24	28	32
BELTS	3	3	3
A	45"	53"	61"
B	50"	50"	50"
C	22"	22"	22"
D	68"	76"	83"
E	35"	43"	50"

OTHER SIZES AND CONFIGURATIONS AVAILABLE BY AGRIEASE AGRIEASE PRICE ORDER

## REPLACEMENT WEAR PARTS

PART	GRASS FLAILS	V BELT	HAMMER BLADE
PART #	484-00-406	060-10-062	484-00-405





MADE IN ITALY

## MASCHIO 3 POINT HITCH

BOOM FLAIL  
WITH FIXED HITCH  
75", 84"

UPPER  
TOOTHED  
COUNTER  
BLADES

LOWER  
COUNTER  
BLADES

SKID SHOES

HYDRAULIC SYSTEM FOR  
SIDE OR INCLINE OFFSET

FULL  
WIDTH  
ROLLER


FRONT  
SAFETY  
SHIELDS

SIDE BELT DRIVE

CAT 2 & 3,  
3 POINT HITCH

HAMMER BLADE  
OEM: 034-00-410 / BE VERSION 55.034.410

OPTIONAL  
GRASS FLAILS



\* CUTTING THICKNESS VARIES BY TRACTOR HP  
AND MATERIAL DENSITY

### GIRAFFA 3 POINT BOOM MOWERS


PART #V	MAS-GIRAFFA185	MAS-GIRAFFA210SE*
WEIGHT	1276 LBS	1364 LBS
WIDTH	75"	84"
TOTAL WIDTH	91"	100"
PTO HP RATING	60 - 110 HP	70 - 110 HP
OPTIONAL GRASS KNIVES	72	90
STANDARD HAMMER	24	30
HITCH	ADJUSTABLE	ADJUSTABLE
BELTS	4	4
A	75"	83"
B	67"	67"
C	53"	53"
D	116"	126"
E	72"	81"

OTHER SIZES AND CONFIGURATIONS AVAILABLE BY SPECIAL ORDER

### REPLACEMENT WEAR PARTS

PART	GRASS FLAILS	BELT	HAMMER BLADE
PART #	55.000.043	47.201.320	55.034.410


\*SE: SIDE MOUNTED GEARBOX



**3 POINT**

## ROTARY RAKE

98"

**SWIVEL WHEEL**

PART #	BE-GR250DR
WEIGHT	617 LBS
WORKING WIDTH	98"
TRANSPORT WIDTH	47"
PTO HP RATING	20 HP
WHEELS	2 SWIVEL
DOUBLE TEETH/ARM	3
ARMS	8
HITCH	3 POINT

**REPLACEMENT WEAR PARTS FOR ALL UNITS**

PART	PTO PART 1	PTO PART 2	TINES
PART #	69.888.002	611234005	45.000.220




MADE IN ITALY

## TANDEM

ROTARY RAKE

117", 129"



### TANDEM WHEEL

PART #	BE-GR300DRTM	BE-GR330DRTM
WEIGHT	792 LBS	858 LBS
WORKING WIDTH	117"	129"
TRANSPORT WIDTH	51"	55"
PTO HP RATING	30 HP	40 HP
WHEELS	TANDEM	TANDEM
DOUBLE TEETH/ARM	3	3
ARMS	8	9
HITCH	3 POINT	3 POINT

### REPLACEMENT WEAR PARTS FOR ALL UNITS


PART	PTO PART 1	PTO PART 2	TINES
PART #	69.888.002	611234005	45.000.220



MADE IN POLAND

**3 POINT**

TEDDER/RAKE

**9'10"****540**  
RPM PTORADIAL PIN  
CLUTCH PTOSIMILAR TO  
**HAYBOB**ADJUSTABLE  
SETTINGS  
FOR  
**TEDDING  
& RAKING**

PART #	BE-TR300
WEIGHT	661 LBS
WIDTH	9'10"
PTO HP RATING	24 HP
TANDEM	NO

**REPLACEMENT WEAR PARTS**

TINES	SWATH TINES	RETURN SPRINGS
LH NARROW 45.000.107	45.000.114	LH 58.000.099
LH WIDE 45.000.110	N/A	RH 58.000.100
RH WIDE 45.000.111	N/A	N/A
RH NARROW 45.000.106	N/A	N/A






MADE IN POLAND

## 3 POINT

TEDDER/RAKE

WITH TANDEM WHEEL OPTION  
9'10"



**540**  
RPM PTO

**RADIAL PIN**  
CLUTCH PTO

SIMILAR TO  
**HAYBOB**


ADJUSTABLE  
SETTINGS  
FOR  
**TEDDING  
& RAKING**

PART #	BE-TR300T
WEIGHT	680 LBS
WIDTH	9'10"
PTO HP RATING	24 HP
TANDEM	DUAL WHEEL


### REPLACEMENT WEAR PARTS

TINES	SWATH TINES	RETURN SPRINGS
LH NARROW 45.000.107	45.000.114	LH 58.000.099
LH WIDE 45.000.110	N/A	RH 58.000.100
RH WIDE 45.000.111	N/A	N/A
RH NARROW 45.000.106	N/A	N/A

 **MADE IN POLAND**  
**BRABER**  
DRUM MOWER  
**65"**



**2 CUTTING DRUMS**



PART #	BE-Z175
WEIGHT	838 LBS
WORKING WIDTH	65"
PTO HP RATING	MIN 30 HP
DRUMS	2
KNIVES	6
MIN MOWING HEIGHT	1.5"
ACRES/HR	5.4

## ROTARY TILLER 40", 47", 51", 59"



### FTL ROTARY TILLERS

PART #	BE-FTL85	BE-FTL105	BE-FTL125	BE-FTL135	BE-FTL150
CATEGORY	1	1	1	1	1
WEIGHT	364 LBS	452 LBS	518 LBS	562 LBS	607 LBS
TILLING WIDTH	32"	40"	47"	51"	59"
PTO HP RATING	12 - 20 HP	15 - 22 HP	18 - 30 HP	18 - 30 HP	18 - 30 HP
TILLAGE DEPTH	3.54"	3.54"	3.54"	3.54"	3.54"
BLADES	16	20	28	28	32

### REPLACEMENT WEAR PARTS FOR ALL UNITS

PART	PTO	LEFT BLADE	RIGHT BLADE	BOLT KIT
PART #	69.888.400	63.000.067	63.000.066	05.000.006

**ROTARY  
TILLER**

**47", 55", 63", 71", 79"**



**540  
RPM PTO**

**SLIP CLUTCH  
PTO YOKE**

**TS ROTARY TILLERS**

PART #	BE-TS120	BE-TS140	BE-TS160	BE-TS180	BE-TS200
WEIGHT	475 LBS	538 LBS	602 LBS	643 LBS	731 LBS
TILLING WIDTH	47"	55"	63"	71"	79"
PTO HP RATING	20 - 50 HP	20 - 50 HP	20 - 50 HP	20 - 50 HP	20 - 50 HP
TILLAGE DEPTH	6-1/2"	6-1/2"	6-1/2"	6-1/2"	6-1/2"
BLADES	36	42	48	54	60


**REPLACEMENT WEAR PARTS FOR ALL UNITS**

PART	PTO	LEFT BLADE	RIGHT BLADE	BOLT KIT
PART #	69.777.025	63.000.048	63.000.049	05.000.006

## IGN

### ROTARY TILLER


59", 71"



## IGN

### ROTARY TILLER

82"



#### IGN MEDIUM DUTY ROTARY TILLERS

PART #	BE-IGN150	BE-IGN180	BE-IGN210
WEIGHT	705 LBS	782 LBS	1235 LBS
TILLING WIDTH	59"	71"	82"
OVERALL WIDTH	68"	80"	90"
PTO HP RATING	30 - 50 HP	30 - 50 HP	55 HP
TILLAGE DEPTH	6"	6"	6"
BLADES	36	42	60


#### REPLACEMENT WEAR PARTS FOR ALL UNITS

PART	PTO	LEFT BLADE	RIGHT BLADE	BOLT KIT
PART #	69.777.025	63.000.019	63.000.020	05.000.002



# ROTARY TILLER

63", 73", 83", 93"



**OPTIONAL MANUALLY  
ADJUSTABLE REAR  
CAGE ROLLERS  
AVAILABLE  
(\*WR MODELS)**



## B SERIES 63"-93" 45-100 HP

### B SERIES MEDIUM-HEAVY DUTY FARM UTILITY TILLERS

PART #	MAS-B155	MAS-B155WR*	MAS-B180	MAS-B180WR*	MAS-B205	MAS-B205WR*	MAS-B230	MAS-B230WR*
WEIGHT	1206 LBS	1420 LBS	1356 LBS	1799 LBS	1523 LBS	1990 LBS	1654 LBS	2169 LBS
TILLING WIDTH	63"	63"	73"	73"	83"	83"	93"	93"
TOTAL WIDTH	68"	68"	78"	78"	88"	88"	98"	98"
PTO HP RATING	45 - 100 HP	45 - 100 HP	50 - 100 HP	50 - 100 HP	60 - 100 HP	60 - 100 HP	70 - 100 HP	70 - 100 HP
WORKING DEPTH	11"	11"	11"	11"	11"	11"	11"	11"
BLADES	36	36	42	42	48	48	54	54


### REPLACEMENT WEAR PARTS FOR ALL UNITS

PART	L RIGHT BLADE	L LEFT BLADE	C RIGHT BLADE	C LEFT BLADE	BOLT KIT
PART #	63.000.040**	63.000.041**	63.000.038**	63.000.039**	05.000.007

\*WR ADDED ROLLER - CAGE ROLLER

\*\*ADD **H** FOR "HEAVY" OPTION OR **HS** FOR "HARD SURFACE" OPTION

## ROTARY TILLER 82", 93", 102", 122"



OPTIONAL MANUALLY  
ADJUSTABLE REAR  
CAGE ROLLERS  
AVAILABLE  
(\*WR MODELS)



### C SERIES 82"-122" 60-130 HP

#### C SERIES HEAVY DUTY FARM UTILITY TILLERS

PART #	MAS-C205	MAS-C205WR*	MAS-C230	MAS-C230WR*	MAS-C250	MAS-C250WR*	MAS-C300	MAS-C300WR*
WEIGHT	1562 LBS	1738 LBS	1672 LBS	1870 LBS	1780 LBS	2022 LBS	1958 LBS	2332 LBS
TILLING WIDTH	82"	82"	93"	93"	102"	102"	122"	122"
TOTAL WIDTH	88"	88"	98"	98"	108"	108"	127"	127"
PTO HP RATING	60 - 130 HP	60 - 130 HP	70 - 130 HP	70 - 130 HP	80 - 130 HP	80 - 130 HP	100 - 130 HP	100 - 130 HP
WORKING DEPTH	11"	11"	11"	11"	11"	11"	11"	11"
BLADES	48	48	54	54	60	60	72	72

#### REPLACEMENT WEAR PARTS FOR ALL UNITS

PART	L RIGHT BLADE	L LEFT BLADE	C RIGHT BLADE	C LEFT BLADE	BOLT KIT
PART #	63.000.040**	63.000.041**	63.000.038**	63.000.039**	05.000.007

\*WR ADDED ROLLER - CAGE ROLLER

\*\*ADD H FOR "HEAVY" OPTION OR HS FOR "HARD SURFACE" OPTION




MADE IN ITALY

## ROTARY

TILLER

93", 102", 122", 150"

L-SHAPED TINES  
AVAILABLE6 C-SHAPED TINES  
PER FLANGE

CAT 2, 3 POINT HITCH

HEAVY DUTY  
GEAR DRIVEFLOATING TAIL-  
GATE

PARKING STAND

540  
RPM PTOSLIP CLUTCH  
PTO YOKEOPTIONAL MANUALLY  
ADJUSTABLE REAR  
CAGE ROLLERS  
AVAILABLE  
(\*WR MODELS)

## SC SERIES 93"-150" 90-170 HP

## SC SERIES SUPER HEAVY DUTY ROTARY TILLERS

PART #	MAS-SC230WR*	MAS-SC250	MAS-SC250WR*	MAS-SC300	MAS-SC300WR*	MAS-SC380WR*
WEIGHT	2458 LBS	2115 LBS	2660 LBS	2425 LBS	3022 LBS	3880 LBS
TILLING WIDTH	93"	102"	102"	122"	122"	150"
TOTAL WIDTH	98"	108"	108"	127"	127"	155"
PTO HP RATING	90 - 170 HP	100 - 170 HP	100 - 170 HP	130 - 170 HP	130 - 170 HP	150 - 170 HP
WORKING DEPTH	11"	11"	11"	11"	11"	11"
BLADES	54	60	60	72	72	90

## REPLACEMENT WEAR PARTS FOR ALL UNITS

PART	L RIGHT BLADE	L LEFT BLADE	C RIGHT BLADE	C LEFT BLADE	BOLT KIT
PART #	63.000.040**	63.000.041**	63.000.038**	63.000.039**	05.000.007

\*WR ADDED ROLLER - CAGE ROLLER


\*\*ADD H FOR "HEAVY" OPTION OR HS FOR "HARD SURFACE" OPTION



MADE IN ITALY

## POWER HARROW

52", 60", 71", 79"



**OPTIONAL  
BOLT-ON STONE  
DEFLECTOR**  
MAS-99518A49



\*CAGE ROLLER WITH MECHANICAL  
ADJUSTERS (WR MODELS)

### DL SERIES 52"-79" 30-100 HP

#### DL SERIES POWER HARROW

PART #	MAS-DLV1300WR*	MAS-DL1500WR*	MAS-DL1800WR*	MAS-DL2000WR*
WEIGHT	1010 LBS	1129 LBS	1166 LBS	1202 LBS
TILLING WIDTH	52"	60"	71"	79"
TOTAL WIDTH	54"	62"	73"	81"
PTO HP RATING	30 - 100 HP	35 - 100 HP	45 - 100 HP	60 - 100 HP
KW RATING	22-74	26-74	33-74	44-74
WORKING DEPTH	11"	11"	11"	11"
BLADES	10	12	14	16
CENTER SPECS	26"	30"	36"	40"


#### REPLACEMENT WEAR PARTS FOR ALL UNITS

PART	CCW BLADE	CW BLADE	BOLT KIT
PART #	63.000.060	63.000.061	04.016.050





# POWER HARROW 60", 71", 79"



## DL SERIES 60"-79" 35-100 HP

### DL SERIES POWER HARROW

PART #	MAS-DL1500PR**	MAS-DL1800PR**	MAS-DL2000PR**
WEIGHT	1402 LBS	1413 LBS	1698 LBS
TILLING WIDTH	60"	71"	79"
TOTAL WIDTH	62"	73"	81"
PTO HP RATING	35 - 100 HP	45 - 100 HP	60 - 100 HP
KW RATING	26-74	33-74	44-74
WORKING DEPTH	11"	11"	11"
BLADES	12	14	16
CENTER SPECS	30"	36"	40"

### REPLACEMENT WEAR PARTS FOR ALL UNITS


PART	CCW BLADE	CW BLADE	BOLT KIT
PART #	63.000.060	63.000.061	04.016.050





MADE IN ROMANIA

**SURFACE DISC**  
CULTIVATOR  
**98"**



HIGH SPEED  
OPERATION  
UP TO  
**9 MPH**  
(15 KM/H)

*IDEAL FOR MANAGING CROP  
RESIDUE, SEED BED PREPARATION,  
& LIQUID FERTILIZER COVERING*



CAGE ROLLER  
WITH HYDRAULIC  
ADJUSTER  
(WR MODELS)

**VELOCE 98" 80-90 HP**

**SURFACE DISC CULTIVATOR**

PART #	MAS-VELOCE250WR
WEIGHT	3265 LBS
TILLING WIDTH	98"
TRANSPORT WIDTH	101"W
PTO HP RATING	80 - 90 HP
WORK DEPTH	2" - 4"
BLADES	20
BLADE DIAMETER	20"




20"  
DIAMETER



4" UNEVEN  
GROUND  
TRAVEL

COMPACT 3 POINT  
SNOW BLOWER  
54", 64"




PART #	BE-SBS5054L	BE-SBS6064L
IMPELLER DIAMETER	20"	20"
CHUTE ROTATION	MANUAL	MANUAL
NUMBER OF STAGES	2	2
WEIGHT	440 LBS	595 LBS
PTO HP RATING	UP TO 35 HP	UP TO 35 HP
WIDTH	50 / 54"	60 / 64"

REPLACEMENT WEAR PARTS

PTO	69.888.400	69.888.400
SHEAR BOLT PTO	01.008.050	01.008.050
CROSS SHAFT SHEARBOLT	SBSN414186	SBSN414186

## 3 POINT SNOW BLOWER 54" UP TO 88"



PART #	BE-SBS5054G	BE-SBS6064G	BE-SBS6670G	BE-SBS7276G	BE-SBS7680G	BE-SBS8488G
WEIGHT	520 LBS	560 LBS	580 LBS	600 LBS	645 LBS	743 LBS
WIDTH	50 / 54"	60 / 64"	66 / 70"	72 / 76"	76 / 80"	84 / 88"
PTO HP RATING	18 HP	22 HP	30 HP	40 HP	50 HP	55 HP
CHUTE ROTATION	MANUAL	MANUAL	MANUAL	MANUAL	MANUAL	MANUAL

### REPLACEMENT WEAR PARTS

PTO	69.888.400	69.888.400	69.888.400	69.888.400	69.888.400	69.888.400
SHEAR BOLT PTO	01.008.050	01.008.050	01.008.050	01.008.050	01.008.050	01.008.050
GEAR BOX	SBSN57-2015G	SBSN57-2015G	SBSN57-2015G	SBSN57-2015G	SBSN57-2015G	SBSN57-2015G

### WIDTH EXTENSIONS (FOR MODELS SOLD BEFORE 2020)

PART #	SBSEXTG
DESCRIPTION	2" WIDTH EXTENSIONS INCREASE WIDTH BY 4"


### OPTIONS

PART #	SBSNHYDKIT
DESCRIPTION	HYDRAULIC CHUTE ROTATION KIT

FRONT MOUNT BLADE

**SKID STEER ATTACH**  
**60", 72", 84"**

INCLUDES SPRING TRIP SAFETY MECHANISM



**OPTION**  
**HYDRAULIC ANGLE KIT**  
FBSHYDKIT **\$360<sup>00</sup>**  
+ \$37<sup>00</sup> SETUP



PART #	BE-FBS5BO500BK	BE-FBS6BO500BK*	BE-FBS7BO500BK*
WEIGHT	385 LBS	420 LBS	470 LBS
WIDTH	60"	72"	84"
PTO HP RATING	UP TO 60 HP	UP TO 60 HP	UP TO 60 HP

**REPLACEMENT WEAR PARTS**

CUTTING EDGE	350519	350619	350719
SPRING	350022	350022	350022
LEVELING SHOE	350006	350006	350006

\*FOR USE WITH TRACTOR LOADERS ONLY

## LIGHT DUTY/SUB COMPACT PALLET FORKS

FOR USE WITH TRACTOR LOADERS  
OR SKID STEERS

PART #	BE-PFLD36EBO
CAPACITY	900 LBS
WEIGHT	170 LBS
FORK LENGTH	36"
CARRIAGE MOUNT	SKID STEER
CLASS	2

### REPLACEMENT PARTS


FORK	PFT36ELD
------	----------



REAR VIEW

## 2200-4400 LBS SKID STEER MOUNT PALLET FORKS

FOR USE WITH TRACTOR LOADERS  
OR SKID STEERS



REPLACEABLE  
STAINLESS LATCH

CLASS II LOCKING FORKS



STANDARD  
VERSION

SLIDING ADJUSTABLE  
FORKS CAN BE LOCKED  
IN PLACE



REAR VIEW

SKID STEER MOUNT

POWDER COAT FINISH

PART #	BE-PF30S42LBO	BE-PF50S48HBO
MOUNT	SKID STEER	SKID STEER
FORKS	42"	48"
WEIGHT	310 LBS	440 LBS
CAPACITY	2200 LBS	4400 LBS
CARRIAGE	47" LOCKING	47" LOCKING
CLASS	2	2


### REPLACEMENT PARTS

FORK	PFT42LDJ	PFT48HDJ
------	----------	----------




2200 LBS  
SKID STEER MOUNT  
PALLET FORKS

FOR USE WITH TRACTOR LOADERS  
OR SKID STEERS



REAR VIEW



PART #	BE-PF3036LBO500J	BE-PF3042LBO500J
MOUNT	SKID STEER	SKID STEER
FORKS	36"	42"
WEIGHT	284 LBS	310 LBS
CAPACITY	2200 LBS	2200 LBS
CARRIAGE	47" LOCKING	47" LOCKING

REPLACEMENT PARTS

FORK	PFT36LDJ	PFT42LDJ
------	----------	----------

CLASS II LOCKING FORKS





REPLACEABLE  
STAINLESS  
LATCH

REPLACEABLE SIDE STEPS



## 2200-4400 LBS SKID STEER & EURO MOUNT PALLET FORKS



**SKID STEER  
& EURO  
MOUNT  
VERSIONS  
AVAILABLE**



### 2200-4400 LBS SKID STEER VERSIONS

PART #	BE-PF5048HBO500J
MOUNT	SKID STEER
FORKS	48"
WEIGHT	440 LBS
CAPACITY	4400 LBS
CARRIAGE	47" LOCKING

### REPLACEMENT PARTS

FORK	PFT48HDJ
------	----------

### EURO MOUNT VERSIONS

PART #	BE-HD4448AO600
MOUNT	EURO
FORKS	48"
WEIGHT	466 LBS
CAPACITY	4400 LBS
CARRIAGE	50"

### REPLACEMENT PARTS

FORK	PFT48HDJ
------	----------



**HEAVY DUTY 5500 LBS  
SKID STEER & EURO MOUNT**


**PALLET FORKS**

**FOR USE WITH TRACTOR LOADERS  
OR SKID STEERS**



REAR VIEW

REMOVABLE GUARD FOR  
WALK THROUGH APPLICATION



HEAVY DUTY  
BOLT ON SIDE STEPS

SLIDING ADJUSTABLE FORKS  
CAN BE LOCKED IN PLACE

HEAVY DUTY D-RING  
FOR SUPPORT CHAIN

**SKID STEER  
& EURO  
MOUNT  
VERSIONS  
AVAILABLE**



**IDEAL FOR  
SKID STEER  
UNITS**

PART #	BE-HD5548AO600	BE-HD5548BO500
MOUNT	EURO	SKID STEER
FORKS	48"	48"
WEIGHT	556 LBS	587 LBS
CAPACITY	5500 LBS	5500 LBS
CARRIAGE	50" LOCKING	50" LOCKING

**REPLACEMENT PARTS**


FORK	PFT48HDJ5500	PFT48HDJ5500
------	--------------	--------------

1 - 1/2" X 5" CLASS II  
SOLID HOOK TYPE



REPLACEABLE  
STAINLESS LATCH

## REPLACEMENT PALLET FORK TINES



PART #	PFT36ELD	PFT36LDJ	PFT42LDJ	PFT48HDJ	PFT48HDJ5500
MOUNT	CLASS II A	CLASS II A	CLASS II A	CLASS II A	CLASS II A
WEIGHT	45 LBS	75 LBS	85 LBS	112 LBS	130 LBS
CAPACITY (PER PAIR)	1100 LBS	2200 LBS	2200 LBS	4400 LBS	5500 LBS
A	3"	4"	4"	4"	4-3/4"
B	36"	36"	42"	48"	48"
C	1"	1.25"	1.25"	1.5625"	1.5625"

## 3 POINT BIN & PALLET FORK




**ABFHD  
SOLID  
TINES**



**ABF  
TUBED  
TINES**

PART #	ABFN	ABFHDN
CAPACITY	1200 LBS	2000 LBS
HITCH	CAT 1, 3 POINT	CAT 1, 3 POINT
SIZE	L41" USABLE LENGTH X 25" CENTER	
FORK SIZE	2" X 4" TUBE	1-1/4" X 4" SOLID
WEIGHT	108 LBS	174 LBS

CLAMP-ON  
PALLET FORK KIT  
WITH STABILIZER BAR



**NOW  
SOLD  
IN  
PAIRS!**

**BOXED  
& SOLD  
AS PAIRS!**

**COMPATIBLE  
WITH BUCKETS!**

PART #	CAPACITY	WEIGHT	TOTAL LENGTH	FORK LENGTH	FORK WIDTH	FORK THICKNESS
BFT1002N	1000 LBS	115 LBS	45-3/4"	32"	3-1/4"	2"
BFT2002N	2000 LBS	183 LBS	64"	44"	4"	2"

STABILIZER  
BAR




PART#	BFT20GSTAB
MIN LENGTH	20-3/4"
MAX LENGTH	38-1/4"
# OF ADJ. POSITIONS	9

SINGLE REPLACEMENT  
CLAMP-ON PALLET FORK

PART#	BFT1000G	BFT2000N
CAPACITY*	1000 LBS	2000 LBS
WEIGHT	51 LBS	85 LBS

\* PER PAIR





SINGLE  
BALE SPEAR  
WITH CHAIN

PART #	BE-BSBM1N
WEIGHT	105 LBS
MOUNT	TO BUCKET
TINE	SINGLE
TINE LENGTH	40"
USABLE LENGTH	34"
CHAINS	YES



REPLACEMENT WEAR PARTS

BALE SPEAR	60.000.004
CONUS	60.000.002
LOAD BINDER	64.100.002

\*MAY SHIP DISASSEMBLED


3 POINT HITCH  
BALE SPEAR

PART #	BE-BS3PTN
WEIGHT	95 LBS
CAPACITY	2500 LBS
HITCH	CAT 1 & 2

REPLACEMENT WEAR PARTS


BALE SPEAR	60.000.004
STABILIZER	BS3PTSTAB

\*MAY SHIP DISASSEMBLED



## SKID STEER SINGLE PRONG BALE SPEAR

FOR USE WITH  
TRACTOR LOADERS  
OR SKID STEERS



REAR VIEW

PART #	BE-BSS39BO500G	BE-BSS49BO500G
WEIGHT	148 LBS	150 LBS
MOUNT	SKID STEER	SKID STEER
TINE LENGTH	39"	49"
USE LENGTH	34"	44"
CAPACITY	2000 LBS	2000 LBS


### REPLACEMENT WEAR PARTS

BALE SPEAR	60.000.004	60.000.005
CONUS	60.000.002	60.000.002


\*MAY SHIP DISASSEMBLED

## SKID STEER DOUBLE PRONG BALE SPEAR

FOR USE WITH  
TRACTOR LOADERS  
OR SKID STEERS



WORKS WITH ROUND OR SQUARE BALES



REAR VIEW

PART #	BE-BSD39BO500G	BE-BSD49BO500G
WEIGHT	176 LBS	180 LBS
MOUNT	SKID STEER	SKID STEER
TINE LENGTH	39"	49"
USE LENGTH	34"	44"
CAPACITY	2000 LBS	2000 LBS


### REPLACEMENT WEAR PARTS

BALE SPEAR	60.000.004	60.000.005
CONUS	60.000.002	60.000.002

\*MAY SHIP DISASSEMBLED

## SKID STEER TRIPLE PRONG BALE SPEAR

FOR USE WITH  
TRACTOR LOADERS  
OR SKID STEERS



HANDLES 4' X 4' X 8' BALES



REAR VIEW


PART #	BE-BST39BO500G	BE-BST49BO500G
WEIGHT	150 LBS	154 LBS
MOUNT	SKID STEER	SKID STEER
TINE LENGTH	39"	49"
USE LENGTH	34"	44"
CAPACITY	2000 LBS	2000 LBS

### REPLACEMENT WEAR PARTS

BALE SPEAR	60.000.004	60.000.005
CONUS	60.000.002	60.000.002

\*MAY SHIP DISASSEMBLED

ALO/EURO  
DOUBLE PRONG  
BALE SPEAR



PART #	BE-BSD39EUROG	BE-BSD49EUROG
WEIGHT	176 LBS	180 LBS
MOUNT	ALO/EURO	ALO/EURO
TINE LENGTH	39"	49"
USE LENGTH	34"	44"
CAPACITY	2000 LBS	2000 LBS

\*MAY SHIP DISASSEMBLED

REPLACEMENT WEAR PARTS

BALE SPEAR	60.000.004	60.000.005
CONUS	60.000.002	60.000.002

SKID STEER MOUNT

GRAPPLE BUCKET

42", 54"

FOR USE WITH TRACTOR LOADERS ONLY

SKID STEER MOUNT



- Universal Skid Steer style hookup
- Greasable pins & bushings
- One cylinder
- Hoses & Pioneer type couplers included

PART #	BE-SSGB2242	BE-SSGB2254
WEIGHT	253 LBS	310 LBS
WIDTH	42"	54"
OPENING HEIGHT	22"	22"
HYDRAULIC PORTS	2	2
TINE THICKNESS	3/8"	3/8"
TINE SPACING	6.4"	6.4"


IDEAL FOR MOVING ROCKS, LOGS, BRUSH, DEBRIS, & OTHER ODDLY SHAPED OR HARD-TO-LIFT MATERIAL. THE INDEPENDENT GRAPPLE MAKES IT EASY TO MOVE DIFFICULT AND UNEVEN LOADS.

SKID STEER MOUNT


GRAPPLE BUCKET

60", 72"

FOR USE WITH TRACTOR LOADERS ONLY



SKID STEER MOUNT



SKID STEER MOUNT



- Universal Skid Steer style hookup
- Greasable pins and bushings
- Twin 3,000 PSI cylinders
- Hoses and Pioneer Type couplers are included
- Cylinder back stoppers prevent the upper clamps from getting stuck in the upright position or hyper extended.

PART #	BE-SSGB60	BE-SSGB72
WEIGHT	650 LBS	700 LBS
WIDTH	60"	72"
OPENING HEIGHT	34"	34"
TEETH LENGTH	24"	24"
HYDRAULIC PORTS	2	2
TINE THICKNESS	3/8"	3/8"
TINE SPACING	3"	3"



## HEAVY DUTY ROOT GRAPPLE BUCKET 62", 77"

### FOR USE WITH TRACTOR LOADERS ONLY

- Universal Skid Steer style hookup
- Dual hydraulic cylinders
- High volume cage design
- Hoses & dripless type couplers Included
- Rear facing lower teeth
- Large diameter pins




*RAKES, DIGS, & MOVES  
ROCKS, TREES, BRUSH, &  
CONSTRUCTION DEBRIS  
WITHOUT PICKING UP DIRT.*

PART #	BE-SSGBC60	BE-SSGBC75
WEIGHT	395 LBS	491 LBS
WIDTH	62"	77"
OPENING HEIGHT	39-1/2"	39-1/2"
HYDRAULIC PORTS	2	2
TINE THICKNESS	1/2"	1/2"
TINE SPACING	6.2" - 6.3"	6.2" - 6.3"

## HEAVY DUTY ROOT GRAPPLE BUCKET 66", 79"

### FOR USE WITH TRACTOR LOADERS ONLY

- Universal Skid Steer style hookup
- Two cylinder independent grapples  
secure uneven loads
- Open bottom and back allows dirt to  
fall through
- Hoses & dripless type couplers Included
- Large diameter pins



PART #	BE-SSGBS67	BE-SSGBS80
WEIGHT	614 LBS	740 LBS
WIDTH	66"	79"
OPENING HEIGHT	34-3/4"	34-3/4"
HYDRAULIC PORTS	2	2
TINE THICKNESS	3/8"	3/8"
TINE SPACING	5.9" - 5.5"	5.9" - 5.5"

## SKID STEER TREE STUMP UPROOTER

- Skid steer mount
- Heavy duty steel body
- Serrated leading edge



PART #	BE-SSTS37
MOUNT TYPE	SKID STEER
TOTAL HEIGHT	17.85"
TOTAL WIDTH	45.47"
TOTAL LENGTH	39.5"
WORKING LENGTH	37"
WORKING WIDTH	36.5"
WEIGHT	164 LBS

*PERFECT FOR UPROOTING TREE STUMPS, LIFTING CONCRETE SLABS & FOR DIGGING FOOTING. DESIGNED TO SHRED ROOTS & OTHER DEBRIS WITHOUT USING A SAW OR SHEARS.*

*RELIABLE STEEL CONSTRUCTION CAN HANDLE MOST RECREATIONAL & PROFESSIONAL JOBS. USED IN CONSTRUCTION, LANDSCAPING, FARMING & FORESTRY.*

## SKID STEER WELD-ON ADAPTER PLATE



PART #	ABSS
HEIGHT	18-7/8"
WIDTH	47-1/4"
DEPTH	3-1/8"

## ALO & EURO WELD-ON MOUNT





PART #	WOKAO600 (PAIR)
DESCRIPTION	ALO & EURO MOUNT
WEIGHT	36 LBS

3 POINT  
QUICK HITCHES



QH1SC



QH1N



QH2N

BOXED EACH OR CRATED MASTER QUANTITY

PART #	QH1SC	QH1N*	QH2N
WEIGHT	40 LBS	72 LBS	139 LBS
WIDTH	29-3/4"	29"	36"
MAX PTO HP RATING	28 HP	50 HP	100 HP
HITCH	CAT 1	CAT 1	CAT 2
A	29-5/8"	27"	32-3/4"
B	14-7/8"	17"/20"	18"
C	30-3/4"	30-1/4"	37-1/2"
D	27-1/2"	26-1/2"	36-3/4"
E	17-7/8"	20-1/4"	21"
F	3/4"	.75"	1"

\* QH1N INCLUDES TRUE CATEGORY 1 LIFT ARM HOOKS AND DOES NOT REQUIRE AN ADAPTER BUSHING KIT

## 3 POINT TRAILER MOVERS CAT 1, CAT 2



PART #	64.500.340Q	64.500.341Q	64.500.343Q
DESCRIPTION	LOWER CONNECTION TOW HITCH	UPPER & LOWER CONNECTION TOW HITCH	HD UPPER & LOWER CONNECTION TOW HITCH
CATEGORY	CAT 1	CAT 1	CAT 2
WEIGHT	26 LBS	35 LBS	44 LBS

## HEAVY DUTY TRAILER MOVER

64.500.344

**INCLUDES  
INTERCHANGEABLE  
2-5/16" TRAILER BALL  
WITH 1" THREADS**



PART #	64.500.344
DESCRIPTION	HEAVY DUTY TRAILER MOVER
WEIGHT	72 LBS
CATEGORY	CAT 1


## BUCKET MOUNT RECEIVER

64.500.342



**REAR WEIGHT  
BOX**

**3.67 FT<sup>3</sup> / 550 LB CAPACITY**



PART #	BE-RWB1
HITCH	CAT 1
BOX VOLUME	3.67 FT <sup>3</sup>
CAPACITY (WITH BOX)	575 LBS
CAPACITY (FILL ONLY)	550 LBS
QUICK HITCH COMPATIBLE	YES
SHIPPING WEIGHT	104 LBS
OVERALL DIMENSIONS	26-1/8" X 13-7/8" X 28-3/4"

FILL GUIDE	
FILL TYPE	WEIGHT PER FT <sup>3</sup>
CONCRETE	150 LBS
GRAVEL	110 LBS
SAND	100 LBS






## COMPACT TRACTOR

### POST HOLE DIGGER

UP TO 30 HP



\* IDEAL FOR TRACTORS UP TO 30 HP

PART #	BE-PHDLG
WEIGHT	135 LBS
DRILLING DEPTH	40"
PTO HP RATING	UP TO 30 HP



## AUGERS



BOXED INDIVIDUALLY  
SOLD SEPARATELY



AUGER OPENING


PART #	PHA6SG	PHA9SG	PHA12SG
SIZE	6"	9"	12"
WEIGHT	21 LBS	32 LBS	43 LBS
DRILLING DEPTH	24"	24"	24"

### REPLACEMENT WEAR PARTS


OUTER CUTTING EDGE	PD-24567-E	PD-24577-E	PD-24587-E
INNER CUTTING EDGE	N/A	PD-24578-E	PD-24588-E



STANDARD DUTY  
POST HOLE DIGGER  
UP TO 60 HP



PART #	BE-PHDG
WEIGHT	155 LBS
DRILLING DEPTH	40"
PTO HP RATING	UP TO 60 HP



AUGERS



BOXED INDIVIDUALLY  
SOLD SEPARATELY



AUGER OPENING


PART #	PHA6G	PHA9G	PHA12G
SIZE	6"	9"	12"
WEIGHT	32 LBS	40 LBS	52 LBS
DRILLING DEPTH	40"	40"	40"

REPLACEMENT WEAR PARTS

OUTER CUTTING EDGE	PD-24567-E	PD-24577-E	PD-24587-E
INNER CUTTING EDGE	N/A	PD-24578-E	PD-24588-E



## DISC BEDDER BE-DB2N



### COMPLETE DISC ASSEMBLY 106.101B.019




OPTIONAL



PART #	BE-DB2N
WORKING WIDTH	48 IN
MAX. DEPTH	7 IN
BLADES (QTY)	2
HITCH TYPE	3 POINT
MIN. HORSEPOWER	20
MAX. HORSEPOWER	50

## MEDIUM DUTY DISC HARROW

54", 72", 86"



PART #	BE-DH210FK	BE-DH230FK
CATEGORY	1 & 2	1 & 2
WEIGHT	862 LBS	1034 LBS
CUTTING WIDTH	72"	86"
PTO HP RATING	30 - 50 HP	35 - 60 HP
BLADE SIZE	18" DIAMETER	18" DIAMETER
GANGS	4	4
DISCS PER GANG	4	5
TOTAL DISCS	16	20

### REPLACEMENT WEAR PARTS


NOTCHED BLADES	FKTDHL-016	FKTDHL-016
----------------	------------	------------

## 1 ROW CULTIVATOR WITH SPRING SHANKS 48"


PART #	BE-FC1RN
WEIGHT	118 LBS
WIDTH	48"
TINES	6
PTO HP RATING	20 - 40

### REPLACEMENT WEAR PARTS

C-TINE	FC2RG
REVERSIBLE POINT	ART-460



## S-TINE CULTIVATOR 60", 72", 84"




PART #	BE-FC05ST	BE-FC06ST	BE-FC07ST
WEIGHT	185 LBS	210 LBS	240 LBS
WIDTH	60"	72"	84"
S-TINES	9	11	13
PTO HP RATING	20 - 40	20 - 40	30 - 50

### REPLACEMENT WEAR PARTS

S-TINE	56.000.001	56.000.001	56.000.001
BOLT KIT	56.000.016	56.000.016	56.000.016
REVERSIBLE POINT	56.000.003	56.000.003	56.000.003
TINE CLAMP	56.000.005	56.000.005	56.000.005



# HEAVY DUTY CULTIVATOR SPRING TINE LOADED 54" UP TO 126"



PART #	BE-FC7S	BE-FC9S	BE-FC11S	BE-FC13S	BE-FC15S
CATEGORY	1	1	2	2	2
WEIGHT	450 LBS	575 LBS	700 LBS	892 LBS	1058 LBS
WORKING WIDTH	54"	72"	90"	108"	126"
TOTAL WIDTH	61"	79"	97"	115"	133"
PTO HP RATING	35 - 45 HP	40 - 45 HP	55 - 65 HP	50 - 80 HP	50 - 90 HP
TINES	7	9	11	13	15

## REPLACEMENT WEAR PARTS

POINT	10320002	10320002	10320002	10320002
PLOW BOLT	10260137	10260137	10260137	10260137
PLOW NUT	10280033	10280033	10280033	10280033

## 3 POINT HITCH SUBSOILER IDEAL FOR DEEP TILLAGE

CAT 1, 3 POINT HITCH



**BOXED**  
EACH

**QUICK HITCH  
COMPATIBLE**

PART #	SS1RN
WEIGHT	98 LBS
WORKING WIDTH	2"
DIGGING DEPTH	ADJUSTABLE: 12" - 22"
PTO HP RATING	UP TO 40 HP
<b>REPLACEMENT WEAR PARTS</b>	
POINT	SSPOINTG

## 3 POINT HITCH MIDDLEBUSTER IDEAL FOR CREATING FURROWS

CAT 1, 3 POINT HITCH




**BOXED**  
EACH

**QUICK HITCH  
COMPATIBLE**

PART #	MB15N
WEIGHT	110 LBS
WORKING WIDTH	15"
DIGGING DEPTH	ADJUSTABLE: 6" - 8"
PTO HP RATING	UP TO 40 HP
<b>REPLACEMENT WEAR PARTS</b>	
POINT	MB01G

## HEAVY DUTY SUBSOILERS




PART #	BE-SS1HDFK	BE-SS2HDFK	BE-SS3HDFK
SHANKS	1	2	3
CATEGORY	2	2	2
DEPTH	28"	28"	28"
WIDTH	31"	48"	60"
HEIGHT	48"	57"	57"
PTO HP RATING	40 - 65 HP	60 - 75 HP	90 - 115 HP
WEIGHT	232 LBS	992 LBS	1147 LBS
TINE SPACING	N/A	27"	21"

## CHAIN HARROW

## WITH POLE

48", 72", 96", 120", 144"



PART #	BE-CH4G	BE-CH6G	BE-CH8G	BE-CH10G
WEIGHT	100 LBS	166 LBS	287 LBS	375 LBS
SECTION WIDTH	48"	72"	96"	120"
POLE COLOR CODE	WHITE	BLACK	GREY	RED
BED LENGTH	60"	60"	60"	60"


## REPLACEMENT WEAR PARTS

PART #	BE-CH4G	BE-CH6G	BE-CH8G	BE-CH10G
HOOK BAR	CH122	CH122	CH122	CH122
POLE ASSEMBLY	CH4G-PA	CH6G-PA	CH8G-PA	CH10G-PA
BLANKET HOOK	CH127	CH127	CH127	CH127

## SUPER HEAVY DUTY

## CHAIN HARROW

84", 108", 132", 156", 180"



PART #	BE-CH9G	BE-CH11G	BE-CH13G	BE-CH15G
WEIGHT	276 LBS	347 LBS	415 LBS	479 LBS
TINES	5/8" (2 SIDED)	5/8" (2 SIDED)	5/8" (2 SIDED)	5/8" (2 SIDED)
SECTION WIDTH	108"	132"	156"	180"
POLE COLOR CODE	ORANGE	YELLOW	BLUE	GREEN
BED LENGTH	86"	86"	86"	86"


## REPLACEMENT WEAR PARTS

POLE ASSEMBLY	BE-PCH9G	BE-PCH11G	CH13G-PA	CH15G-PA
---------------	----------	-----------	----------	----------

## HEAVY DUTY

## DIAMOND HORSE ARENA HARROWS

**40", 60"**



CONSUMER FRIENDLY  
RETAIL PACKAGING




PART #	HAR40S	HAR60S
WEIGHT	62 LBS	98 LBS
WORKING WIDTH	40"	60"
LENGTH	52"	52"

### REPLACEMENT WEAR PARTS

DRAW HOOK	61.200.010	61.200.010
TINES	61.200.002	61.200.002

PASTURE  
HARROWS

4 WAY DUTCH CAST HARROW  
72", 96", 120", 144", 168", 192"



PART #	BE-PH06FT	BE-PH08FT	BE-PH10FT	BE-PH12FT	BE-PH14FT	BE-PH16FT
WEIGHT	297 LBS	396 LBS	495 LBS	594 LBS	643 LBS	693 LBS
WORK WIDTH	72"	96"	120"	144"	168"	192"
POLE COLOR CODE	BLACK	GREY	ORANGE	YELLOW	BLUE	GREEN

REPLACEMENT WEAR PARTS

STAR TINE	61.000.001	61.000.001	61.000.001	61.000.001	61.000.001	61.000.001
4" MOUNT RING	61.000.002	61.000.002	61.000.002	61.000.002	61.000.002	61.000.002
2" MOUNT RING	61.000.003	61.000.003	61.000.003	61.000.003	61.000.003	61.000.003



SPIN SPREADER  
550 LB - 1160 LB CAPACITY



BE-PFS250G



BE-PFS400G



BE-PFS500G

HEAVY DUTY POLY HOPPER

MANUAL CONTROLS

CAT 1, 3 POINT HITCH

540 RPM GEARBOX

STAINLESS STEEL DISC & VANES

BOTTOM DROP SPINNER

NOW INCLUDES  
WEATHERPROOF  
HOPPER COVER



PART #	BE-PFS250G	BE-PFS400G	BE-PFS500G
WEIGHT	120 LBS	124 LBS	140 LBS
CAPACITY*	550 LBS	750 LBS	1160 LBS
PTO HP RATING	20 - 50 HP	20 - 50 HP	20 - 50 HP

\*CAPACITY VARIES WITH MATERIAL

OPTIONAL AGITATOR  
BE-AGI



MANURE SPREADER  
**29 FT<sup>3</sup> & 40 FT<sup>3</sup>**

- 18" Steel beater with replaceable paddles
- High density poly vinyl 3/4" apron bed
- Two wheel ground driven
- 5/16" T-Rod gold zinc plated apron chain
- Transport end gate
- Industrial powder coating
- 27-1/2" Loading height



**GREASABLE  
WHEEL HUBS**



**ADJUSTABLE  
CHAIN TENSIONER**



**8 REPLACEABLE  
BEATER PADDLES**



**2 WHEEL  
GROUND  
DRIVEN**



**ADJUSTABLE  
HITCH**



**GOLD ZINC  
PLATE CHAIN**

PART #	BE-23MS	BE-32MS
WEIGHT WITH TIRES	400 LBS	550 LBS
LOAD CAPACITY	29 FT <sup>3</sup>	40 FT <sup>3</sup>
DIMENSIONS	77" X 28" X 16.7"	101" X 28" X 16.7"

## CARBIDE TIPPED STUMP GRINDERS

**HONDA**  
GX390 13HP

POWERED by  
**HONDA**  
OPTIONAL  
POWEREASE ENGINE



**CARBIDE TIP**

**CARBIDE TIPPED  
CUTTING TEETH**

INCLUDES  
**CARBIDE  
TIPPED**  
CUTTING  
EDGES

**15  
HP**  
POWEREASE  
ENGINE

**13  
HP**  
HONDA  
ENGINE

CUTS 9"  
BELOW  
GRADE

CUTS 10"  
ABOVE  
GRADE

\*PRODUCT MAY NOT BE EXACTLY AS SHOWN

PART#	BE-SGGR15	BE-SGGH13
WEIGHT	260 LBS	264 LBS
ENGINE	POWEREASE 420 CC / 15 HP	HONDA GX390 389 CC / 13 HP
CUTTING CAPACITY ABOVE GRADE	10"	10"
CUTTING CAPACITY BELOW GRADE	9"	9"
STUMP DIAMETER	NO LIMIT	NO LIMIT


### REPLACEMENT PARTS

REPLACEMENT TEETH INCLUDES 1 EACH OF LEFT & RIGHT	101.102B.001	101.102B.001
REPLACEMENT BELTS 2 NEEDED	101.102B.002	101.102B.002



HYDRAULIC 3 POINT HITCH

TRACTOR MOUNTED  
STUMP GRINDER



**4**  
TRACTOR  
HYDRAULIC  
PORTS  
REQUIRED

**540**  
RPM PTO

**SHEAR PIN**  
PTO YOKE

**HYDRAULIC  
POSITION  
CONTROL**

**CUTS 14"  
BELOW  
GRADE**

**CUTS 25"  
ABOVE  
GRADE**


PART#	BE-SGH24
WEIGHT	618 LBS
PTO HP RATING	MIN 30 HP

REPLACEMENT PARTS

CUTTING TOOTH 16 NEEDED	104.101B.033
CUTTING TOOTH HOLDER 2 6 NEEDED	104.101B.034
CUTTING TOOTH HOLDER 3 6 NEEDED	104.101B.035
CUTTING TOOTH HOLDER 4 1 NEEDED	104.101B.036
CUTTING TOOTH HOLDER 5 1 NEEDED	104.101B.037
CUTTING TOOTH HOLDER 6 1 NEEDED	104.101B.038
CUTTING TOOTH HOLDER 1 1 NEEDED	104.101B.039



## 3 POINT HITCH TRACTOR MOUNTED STUMP GRINDER



PART#	BE-SG24
WEIGHT	500 LBS
PTO HP RATING	15-45 HP

### REPLACEMENT PARTS

CUTTING TOOTH - 34 NEEDED	SGCUTTER
---------------------------	----------





2-IN-1 FLYWHEEL  
WOOD CHIPPER  
SHREDDER



**7  
HP**  
POWEREASE  
ENGINE

  
10" ROUGH  
TERRAIN TIRES

INCLUDES  
DISCHARGE  
COLLECTION  
BAG

**3"**  


OPTIONAL  
VACUUM  
HOSE  
KIT

PART #	BE-WCGF3R7
ENGINE	POWEREASE 212 CC / 7 HP
ROTOR BLADES	2
ROTOR HAMMERS	4
ROTOR DEPTH	8.5 MM
CHIPPER CAPACITY	3"
SHREDDER CAPACITY	1/2"
WEIGHT	121 LBS

REPLACEMENT PARTS

Y HAMMER - 4 NEEDED	102.104B.052
KNIFE - 2 NEEDED	102.104B.058



## 4" DRUM WOOD CHIPPERS



PART #	BE-WCGR4R13	BE-WCGR4R13E	BE-WCGR4H13	BE-WCGR4H13E
ENGINE	POWEREASE 420 CC / 15 HP	POWEREASE 420 CC / 15 HP	HONDA GX390 389 CC / 13 HP	HONDA GX390 389 CC / 13 HP
ROTOR BLADES	2	2	2	2
ROTOR DIAMETER	220 MM	220 MM	220 MM	220 MM
ROTOR LENGTH	240 MM	240 MM	240 MM	240 MM
STARTER TYPE	RECOIL	ELECTRIC	RECOIL	ELECTRIC
CHIPPER CAPACITY	4"	4"	4"	4"
WEIGHT	258 LBS	258 LBS	258 LBS	258 LBS

### REPLACEMENT PARTS

FLYWHEEL KNIVES 2 NEEDED	102.106B.130	102.106B.130	102.106B.130	102.106B.130
BELT - 2 NEEDED	102.106B.107	102.106B.107	102.106B.107	102.106B.107

4" FLYWHEEL  
WOOD CHIPPER



**13 HP**  
HONDA  
ENGINE

**15 HP**  
POWEREASE  
ENGINE

16" ROAD  
READY TIRES

INCLUDES  
DOCUMENT  
HOLDER

2" BALL  
COUPLER

**4"**

POWERED by  
**HONDA**

OPTIONAL  
POWEREASE ENGINE

PART #	BE-WCGF4R13	BE-WCGF4H13
ENGINE	POWEREASE 420 CC / 15 HP	HONDA GX390 389 CC / 13 HP
FLYWHEEL BLADES	2	2
STATIONARY BLADES	1	1
BELTS	2	2
STARTER TYPE	ELECTRIC	ELECTRIC
CHIPPER CAPACITY	4"	4"
WEIGHT	573 LBS	573 LBS
REPLACEMENT KNIVES		
FLYWHEEL KNIVES - 2 NEEDED	101.101B.002	101.101B.002
STATIONARY KNIFE - 1 NEEDED	101.101B.001	101.101B.001
BELT - 2 NEEDED	101.101B.003	101.101B.003







## 3 POINT HITCH TRACTOR MOUNTED FLYWHEEL WOOD CHIPPER



PART #	BE-WCX5	BE-WCX8
PTO HP RATING	18 - 45 HP	25 - 65 HP
PTO RPM	540 - 1000 R/MIN	540 RPM
DIMENSIONS (LXWXH)	43" X 55" X 66"	64" X 70" X 82"
ROTOR KNIVES	4	4
ROTOR SIZE	24-3/4"	28"
ROTOR WEIGHT	125 LBS	174 LB
CHIPPER CAPACITY	5"	8"
CHIPPER HOUSING OPENING	5" X 10"	8"
DISCHARGE HOOD ROTATION	270°	270°
DISCHARGE HOOD HEIGHT	60"	82"
WEIGHT	485 LBS	728 LBS

### REPLACEMENT PARTS

FLYWHEEL KNIVES - 4 NEEDED	WCX5-0101	CONTACT YOUR DEALER
STATIONARY KNIFE - 1 NEEDED	WCX5-0102	



## 6 TON ELECTRIC LOG SPLITTER 110V, 60HZ



**6  
TON  
SPLITTING  
FORCE**



### OPTIONS

**4 WAY CROSS WEDGE**  
LS4CWE




PART#	LS6TE
POWER OUTPUT	1300W
RATED CURRENT	12A
OIL CAPACITY	3.8 LITERS
CYCLE TIME	14 SECOND
MAX PRESSURE	2700 PSI
CYLINDER	2.2" X 17"
AUTO RETURN STANDARD VALVE TYPE	✓
*SPLITTING DIAMETER	10"
SPLITTING LENGTH	20-1/2"
SHIPPING WEIGHT	110 LBS

### REPLACEMENT WEAR PARTS

WHEEL	330-436
HYDRAULIC VALVE	520-974
HYDRAULIC PUMP	550-203
LOG HOLDER	320-935

\* SPLITTING DIAMETER VARIES WITH TYPE OF WOOD AND ENVIRONMENTAL CONDITIONS



**25 TON****TRACTOR MOUNTED  
LOG SPLITTER****WITH HYDRAULIC HOSES & QD TIPS**

**25  
TON**  
SPLITTING  
FORCE



**MINIMUM  
6 GPM  
REQUIRED**


**2**  
TRACTOR  
HYDRAULIC  
PORTS  
REQUIRED

**OPTIONS**

**4 WAY CROSS WEDGE**  
LS4CW



PART#	BE-LS25T3PT
SPLIT FORCE	25 TON
LOG LENGTH	25"
*SPLITTING DIAMETER	16"
WEDGE HEIGHT	8"
SHIPPING WEIGHT	375 LBS
OIL CAPACITY	3.25 L CYLINDER
**CYCLE TIME - FORWARD	8 SECONDS
**CYCLE TIME - REVERSE	5 SECONDS



\* SPLITTING DIAMETER VARIES WITH TYPE OF WOOD AND ENVIRONMENTAL CONDITIONS.


\*\* TONNAGE AND CYCLE TIMES VARY DEPENDENT UPON CYLINDER DIAMETER AND PSI/GPM THE TRACTOR PRODUCES, AND ALSO ENVIRONMENTAL CONDITIONS.

# 25 TON LOG SPLITTERS

## HONDA<sup>™</sup> GX200 6.5HP

STARTING AT

POWERED by  
**HONDA<sup>™</sup>**  
OPTIONAL  
POWER EASE ENGINE



**25  
TON**  
SPLITTING  
FORCE

**7  
HP**  
POWEEASE  
ENGINE

**6.5  
HP**  
HONDA  
ENGINE

MINOR  
ASSEMBLY

HORIZONTAL  
& VERTICAL  
POSITION

2" BALL  
COUPLER

### OPTIONS

**4 WAY CROSS WEDGE**  
LS4CW




PART #	BE-LS25ER	BE-LS25EH
SERIES	WORKSHOP	WORKSHOP
ENGINE	POWEEASE 212 CC / 7 HP	HONDA GX200 196 CC / 6.5 HP
SPLIT FORCE	25 TON	25 TON
LOG LENGTH	24"	24"
*SPLITTING DIAMETER	14"	14"
WEDGE HEIGHT	7"	7"
CYCLE TIME - FORWARD	7 SECONDS	7 SECONDS
CYCLE TIME - REVERSE	5 SECONDS	5 SECONDS
PUMP	9 GPM HI-LO	9 GPM HI-LO
MAX PRESSURE	3400 PSI	3400 PSI
CYLINDER	4" X 22"	4" X 22"
SHIPPING WEIGHT	532 LBS	532 LBS
RESERVOIR CAPACITY	12 L / 3.2 GAL	12 L / 3.2 GAL
CYLINDER CAPACITY	4.2 L / 1.1 GAL	4.2 L / 1.1 GAL

## 28 TON DELUXE LOG SPLITTERS

**HONDA™**  
GX200 6.5HP

POWERED by  
**HONDA™**  
OPTIONAL  
POWER EASE ENGINE



**28  
TON**  
SPLITTING  
FORCE

**7  
HP**  
POWEEASE  
ENGINE

**6.5  
HP**  
HONDA  
ENGINE

MINOR  
ASSEMBLY

HORIZONTAL  
& VERTICAL  
POSITION

2" BALL  
COUPLER

### OPTIONS


**4 WAY CROSS WEDGE**  
LS4CW



PART #	BE-LS28DR	BE-LS28DH
SERIES	PROFESSIONAL	PROFESSIONAL
ENGINE	POWEEASE 212 CC / 7 HP	HONDA GX200 196 CC / 6.5 HP
SPLIT FORCE	28 TON	28 TON
LOG LENGTH	24"	24"
*SPLITTING DIAMETER	14"	14"
WEDGE HEIGHT	7"	7"
CYCLE TIME - FORWARD	11 SECONDS	11 SECONDS
CYCLE TIME - REVERSE	9.5 SECONDS	9.5 SECONDS
PUMP	13 GPM	13 GPM
MAX PRESSURE	3450 PSI	3450 PSI
CYLINDER	4.5" X 24"	4.5" X 24"
SHIPPING WEIGHT	624 LBS	624 LBS
RESERVOIR CAPACITY	18.9 L / 5 GAL	18.9 L / 5 GAL
CYLINDER CAPACITY	5.4 L / 1.4 GAL	5.4 L / 1.4 GAL

## 37 TON DELUXE

## LOG SPLITTERS

HONDA™  
GX270 9HPPOWERED by  
**HONDA**™  
OPTIONAL  
POWER EASE ENGINE**37  
TON**  
SPLITTING  
FORCE**7  
HP**  
POWEREASE  
ENGINE**9 & 13  
HP**  
HONDA  
ENGINES

## OPTIONS

**4 WAY CROSS WEDGE**  
LS4CW

PART #	BE-LS37DR	BE-LS37DH9	BE-LS37DH
SERIES	PROFESSIONAL	PROFESSIONAL	PROFESSIONAL
ENGINE	POWEREASE 212 CC / 7 HP	HONDA GX270 270 CC / 9 HP	HONDA GX390 389 CC / 13 HP
SPLIT FORCE	37 TON	37 TON	37 TON
LOG LENGTH	24"	24"	24"
*SPLITTING DIAMETER	14"	14"	14"
WEDGE HEIGHT	7"	7"	7"
CYCLE TIME - FORWARD	11 SECONDS	11 SECONDS	11 SECONDS
CYCLE TIME - REVERSE	9.5 SECONDS	9.5 SECONDS	9.5 SECONDS
PUMP	16 GPM	16 GPM	16 GPM
MAX PRESSURE	3500 PSI	3500 PSI	3500 PSI
CYLINDER	5" X 24"	5" X 24"	5" X 24"
SHIPPING WEIGHT			
RESERVOIR CAPACITY	20.3 L / 5.4 GAL	20.3 L / 5.4 GAL	20.3 L / 5.4 GAL
CYLINDER CAPACITY	6.4 L / 1.7 GAL	6.4 L / 1.7 GAL	6.4 L / 1.7 GAL

4 WAY  
CROSS WEDGE

STARTING AT



PART #	LS4CWE	LS4CW		
ATTACHES TO	LS6TE	BE-LS25T3PT	BE-LS25ER	BE-LS25EK
		BE-LS25EH	BE-LS28DR	BE-LS28DH
		BE-LS37DR	BE-LS37DH9	BE-LS37DH





MINI CULTIVATOR  
TILLER  
11-3/4"

NARROW  
TILLING  
WIDTH

ECONOMICAL

4.25"  
MAX  
TILLING  
DEPTH



PART #	BE-MTR2
ENGINE	POWEEASE 3 HP / 52 CC
STARTER TYPE	RECOIL
FUEL CAPACITY (QTS/L)	0.85 QUARTS / 0.9 LITER
ENGINE CYCLE	2 STROKE
# OF BLADES	4
BLADE POSITION	FRONT
BLADE RPM	265
WORKING WIDTH	11-3/4"
TOTAL WIDTH	11-3/4"
TILLING DEPTH	4-1/4"
TIRE SIZE	7"
WEIGHT	32 LBS
TRANSMISSION	WORM GEAR
DRIVE SPEEDS	1 FWD

REPLACEMENT WEAR PARTS

BLADE 1	102, 107B, 062
BLADE 2	102, 107B, 065
BLADE 3	102, 107B, 076
BLADE 4	102, 107B, 077



**FRONT TINE  
TILLER  
21-1/2"**



ERGONOMIC  
HANDLES

UP TO  
**5.5"**  
MAX TILLING  
DEPTH

ADJUSTABLE  
TILLING  
WIDTH

21-1/2" WIDTH

PART #	BE-FTTR23
ENGINE	POWEREASE 6.5 HP / 99 CC
STARTER TYPE	RECOIL
FUEL CAPACITY (QTS/L)	1.69 QUARTS / 1.6 LITER
ENGINE CYCLE	4 STROKE
# OF BLADES	16
BLADE POSITION	FRONT
BLADE RPM	160
WORKING WIDTH	21-1/2"
TOTAL WIDTH	23-3/4"
TILLING DEPTH	5-1/2"
TIRE SIZE	8"
WEIGHT	90 LBS
TRANSMISSION	GEAR
DRIVE SPEEDS	1 FWD

# BELT DRIVE REAR TINE TILLER 19"

POWERED by  
**HONDA**  
OPTIONAL  
POWER EASE ENGINE

★ **BEST  
SELLER**

SAFETY  
CLUTCH  
CONTROL

2 FORWARD & 1 REVERSE  
DRIVE SPEEDS

19" WIDTH

ADJUSTABLE  
TILLING  
DEPTH

ROUGH  
TERRAIN TIRES

PART #	BE-BRTR7	BE-BRTH65
ENGINE	POWER EASE 7 HP / 212 CC	HONDA GX200 6.5 HP / 196 CC
STARTER TYPE	RECOIL	RECOIL
FUEL CAPACITY (QTS/L)	3.4 QUARTS / 3.6 LITER	3.4 QUARTS / 3.6 LITER
ENGINE CYCLE	4 STROKE	4 STROKE
# OF BLADES	4	4
BLADE POSITION	REAR	REAR
BLADE RPM	3600	3600
WORKING WIDTH	19"	19"
TOTAL WIDTH	19"	19"
MAX TILLING DEPTH	13-3/4"	13-3/4"
TIRE SIZE	12"	12"
WEIGHT	155 LBS	155 LBS
TRANSMISSION	BELT DRIVE	BELT DRIVE
DRIVE SPEEDS	2 FWD / 1 REV	2 FWD / 1 REV

## REPLACEMENT WEAR PARTS

BLADE LH	102.108C.095	102.108C.095
BLADE RH	102.108	102.108
FORWARD BELT	102.108C.028	102.108C.028
REVERSE BELT	102.108C.044	102.108C.044





**TRIMMER**  
**MOWER**  
**20-1/2"**



**2-4"**  
CUTTING  
HEIGHT

**20.5"**  
WORKING  
WIDTH

20-1/2" WIDTH

PART #	BE-TMLR38
ENGINE	VERTICAL POWEREASE 3.3 HP / 143.5 CC
STARTER TYPE	RECOIL
FUEL CAPACITY (QTS/L)	0.76 QUARTS / 0.8 LITER
ENGINE CYCLE	4 STROKE
LINE RPM	3600
WORKING WIDTH	20-1/2"
TOTAL WIDTH	21-1/4"
CUTTING HEIGHT	2-4"
CUTTING LINE DIAMETER	1/8"
TIRE SIZE	14"
WEIGHT	82 LB

**OPTIONS**

**19"**  
**TRIMMER LINE**  
**20 PC PACK**  
**102.103B.222**



19" REPLACEMENT TRIMMER LINE


USES 19" LONG 1/8"/3 MM SQUARE TRIMMER LINE

MADE IN ITALY

ORCHARD

BRUSH RAKE

55", 67", 79"



540

RPM PTO


SHEAR PIN  
PTO YOKE


PART #	CES-RC140SP	CES-RC170SP	CES-RC200SP
WEIGHT	608 LBS	642 LBS	664 LBS
KW	21	21	21
PTO HP RATING	28 HP	28 HP	28 HP
RAKE SWATH	55"	67"	79"



## 40" TRAILED AERATOR

81.200.004

 AVAILABLE ONLY IN CANADA



## SPIKE AERATOR DRUM 48", 60"

 AVAILABLE ONLY IN CANADA



PART#	81.200.040	81.200.041
SIZE	48"	60"
CAPACITY	392 LB	489 LB

## FLAT BALLAST ROLLER 48", 60"

 AVAILABLE ONLY IN CANADA



PART#	81.200.020	81.200.021
SIZE	48"	60"
CAPACITY	379 LB	467 LB

## 42" LAWN CLIPPING

### SWEEPER

SW42T

 AVAILABLE ONLY IN CANADA




## 40" TINE

### DETHATCHER


81.200.001

 AVAILABLE ONLY IN CANADA



## 125 LB WALK-BEHIND SPREADER

PFS60P

 AVAILABLE ONLY IN CANADA



## 125 LB TOWABLE SPREADER

PFS125T

INCLUDES  
HOPPER COVER KIT

GATE LEVER  
TO CONTROL FLOW

PREMIUM CAST ALUMINUM GEARS

UNIVERSAL HITCH

12" LARGE  
PNEUMATIC TIRES



## 250 LB TOWABLE SPREADER

PFS105T

 AVAILABLE ONLY IN CANADA



IDEAL FOR USE WHEN A PTO  
IS NOT AVAILABLE

SPREADS SEED, FERTILIZER,  
SAND & SALT

14" LARGE  
PNEUMATIC TIRES

INCLUDES HOPPER COVER

CLEVIS HITCH



600 LB CAPACITY

POLY DUMP CART

TCP600



1000 LB CAPACITY

POLY DUMP CART

TCP1000



1200 LB CAPACITY

POLY DUMP CART

TCP1200



1200 LB CAPACITY

POLY DUMP CART

TCP12004W



1500 LB CAPACITY

POLY DUMP CART

TCP1500



1500LB CAPACITY

POLY DUMP CART

TCP15004W



PART#	CAPACITY	TIRE SIZE	HEAPED LOAD SIZE	LEVEL LOAD SIZE	OVERALL DIMENSIONS	BODY DIMENSIONS
TCP600	600 LB	16"	10 FT <sup>3</sup>	7 FT <sup>3</sup>	65" X 36" X 26"	43.3" X 32.9" X 10.5"
TCP1000	1000 LB	16"	18 FT <sup>3</sup>	14 FT <sup>3</sup>	83" X 50" X 27"	58.9" X 38.0" X 15.0"
TCP1200	1200 LB	18"	19 FT <sup>3</sup>	15 FT <sup>3</sup>	85" X 47" X 31"	61.4" X 31.0" X 18.1"
TCP12004W	1200 LB	18"	19 FT <sup>3</sup>	15 FT <sup>3</sup>	85" X 50" X 31"	61.4" X 31.0" X 18.1"
TCP1500	1500 LB	18"	28 FT <sup>3</sup>	22 FT <sup>3</sup>	97" X 55" X 31"	69.1" X 39.8" X 17.9"
TCP15004W	1500 LB	18"	28 FT <sup>3</sup>	22 FT <sup>3</sup>	97" X 58" X 31"	69.1" X 39.8" X 17.9"

\* NOT DESIGNED FOR ROAD USE

500 LB CAPACITY  
METAL DUMP CART  
TC5010



PART#	CAPACITY	TIRE SIZE	HEAPED LOAD SIZE	LEVEL LOAD SIZE	BODY DIMENSIONS	WEIGHT
TC5010	500 LB	16"	12 FT <sup>3</sup>	10 FT <sup>3</sup>	40.5" X 32.5" X 11.5"	83.7 LBS

\* NOT DESIGNED FOR ROAD USE



## OUR INDUSTRY LEADING WARRANTY INFORMATION

At **BRABER**, we stand behind our equipment with reliable warranties designed for hardworking folks and industrial pros.

Registering your **BRABER** product ensures you get the full benefit of your warranty and hassle-free support when you need it. It also helps us keep you informed about important updates, service options, and exclusive offers—because we're committed to keeping your equipment running strong.

### HARDWORKING EQUIPMENT NEEDS HARDWORKING WARRANTIES



#### 2 YEAR MANUFACTURER'S DEFECT WARRANTY

We stand by our quality. All parts and whole goods come with a 2 Year Manufacturer's Defect Warranty, ensuring reliability and peace of mind.



#### 3 YEAR SPINDLE & MOWER WARRANTY

Durability you can trust. Our **BRABER** manufactured mower spindles are covered with a 3 Year Warranty, keeping your equipment running strong.



#### 6 YEAR GEARBOX WARRANTY

Built to last. All **BRABER** gearboxes are backed by a 6 Year Warranty, so you can work with confidence season after season.

### BECAUSE NO ONE LIKES A VAGUE DISCLAIMER

### THE SMALL PRINT:

#### PARTS

**BRABER** warrants its products to be free from defects in materials and workmanship for 24 months from the date of delivery to the original purchaser. This warranty is void if the product is, in **BRABER**'s opinion, subjected to misuse, improper maintenance, or accidents, and does not cover normal wear or maintenance items. It is non-transferable and limited to repair or replacement at **BRABER**'s discretion, provided the defective product is returned with proof of purchase. No other remedies or warranties, express or implied, including merchantability or fitness for a particular purpose, are provided. **BRABER** disclaims liability for incidental or consequential damages, including lost profits, crop loss, or rental costs. This warranty is subject to supply conditions and cannot be altered by any representative or dealer.

#### EQUIPMENT/WHOLE GOODS:

Your **BRABER** attachment is backed by a comprehensive, industry-leading warranty, supported by superior engineering and rigorous testing. **BRABER** warrants its products to be free from defects in material and workmanship for 24 months from the date of sale to the original purchaser, with proof of purchase required. This warranty excludes coverage for misuse, improper maintenance, accidents, unauthorized repairs or modifications, and normal wear or maintenance items. It applies only to original purchasers and does not transfer to third parties. **BRABER** will, at its discretion, repair or replace defective products free of charge, provided they are returned with proof of purchase. No other warranties, express or implied—including merchantability or fitness for a particular purpose—are provided, and **BRABER** is not liable for incidental or consequential damages such as lost profits, crop loss, or rental costs. Warranty on engines, batteries, and other non-**BRABER** components is provided by their respective manufacturers. No representative is authorized to modify this warranty.

[illegible]



# BRABER

**EQUIPMENT THAT WORKS AS  
HARD AS YOU DO.**

From first hookup to final pass,  
**BRABER's** got your back.  
Implements and equipment built for real  
work — on farms, fields, and job sites.

**PLACE YOUR ORDER TODAY**

**ORDERS@BRABEREQ.COM | +1 (877) 588-3311**

**BRABEREQ.COM**